





## VELA Meywalk 4 Small





| Pos  | Pcs | Beskrivelse                                   | Description                              | Beschreibung                                       | Stock no   |
|------|-----|-----------------------------------------------|------------------------------------------|----------------------------------------------------|------------|
| 1    | 1   | Kropsring str. Ø90 cm                         | Trunk support Ø90 cm                     | Thoraxring Ø90 cm                                  | M011105    |
| 1.1  | 2   | Plastik prop 25,4 mm.                         | Plastic plug 25.4 mm.                    | Kunststoffstopfen 25,4 mm.                         | M049675    |
| 1.2  | 2   | Skive Ø16/Ø8,4 x 1,6 mm                       | Washer Ø16/Ø8,4 x 1,6 mm                 | Sheibe Ø16/Ø8,4 x 1,6 mm                           | M42108     |
| 1.3  | 1   | Skumrør til kropsring ø90 cm, bag, Hs+Vs      | Foam tubing f. trunk sup. Ø90, rear      | Moosgummi für Thoraxring Ø90 hinten                | M011303    |
| 1.4  | 2   | Skrue unbr CH M8x20 mm                        | Screw unbr CH M8x20 mm                   | Schraube unbr CH M8x20 mm                          | 8001508020 |
| 2    | 1   | Opstander og centerkonsol, Small              | Stanchion and center console, Small      | Aufständer und Zentralkonsole, Small               | M013205    |
| 3    | 2   | Mellemste opstander, Small, 306,5 mm          | Center stanchion, Small                  | Mittlerer Aufständer, Small                        | M013335    |
| 4    | 2   | Skiftegreb M8x25 mm                           | Quick release M8x25 mm                   | Schnellspanner M8x25 mm                            | M104607    |
| 5    | 2   | Indvendig højdejusteringsrør                  | Internal height adjust. tube             | Innere Höhenverstellung                            | M104135    |
| 6    | 2   | Ring til håndbøjlebeslag                      | Ring for handle bar bracket              | Ring für Handbügelaufnahme                         | M067283    |
| 7    | 1   | Håndbøjlebeslag, venstre                      | Handlebar bracket, left                  | Handbügelaufnahme, links                           | M011097    |
| 8    | 1   | Håndbøjlebeslag, højre                        | Handlebar bracket, right                 | Handbügelaufnahme, rechts                          | M011119    |
| 9    | 1   | Centerboks, 191 mm                            | Center box                               | Zentralbox                                         | M012095    |
| 10   | 1   | Centerkonsoldæksel, plast                     | Cover for center console, plastic        | Abdeckung für Zentralkonsole                       | M012120    |
| 11   | 1   | Sædebøjle, 256x157 mm                         | Saddle bar                               | Sitzbügel                                          | M012410    |
| 12   | 2   | Dupsko ø12 til sædebøjle                      | Ferrule ø12 for seat bracket             | Zwinge ø12 für Sitzbügel                           | M011456    |
| 13   | 1   | Dupsko 45x25x1. -2 mm til sædebøjle           | Ferrule 45x25x1. -2 mm for seat bracket  | Zwinge 45x25x1. -2 mm für Sitzbügel                | M011455    |
| 14   | 1   | Stjernegreb ø50 mm, komplet 8x35              | Handle Ø50, M8x35 mm, complete           | Kippschraube Ø50 mm, 8x35 mm komplett              | M011324    |
| 14.1 | 1   | Skive ø22/ø14 mm                              | Washer Ø22/Ø14 mm                        | Scheibe Ø22/Ø14 mm                                 | M011394    |
| 14.2 | 1   | Udvendig låsering A14                         | Retaining ring DIN 471 A14               | Spannring, aussen 14                               | M011395    |
| 14.3 | 1   | Bræddebolt M8x35 mm                           | Carriage bolt M8x35 mm                   | Schlossschraube M8x35 mm                           | M011393    |
| 15   | 1   | Håndbøjle uden skum, B:429 mm                 | Handlebar without foam                   | Handbügel ohne Moosgummi                           | M012140    |
| 16   | 1   | Skum til håndbøjle                            | Foam for handle bar (Ø19x1050 mm)        | Moosgummi f. Handbügel (Ø19x1050 mm)               | M106900    |
| 17   | 1   | Håndgreb Ø50/Ø8x23 mm                         | Handle Ø50/Ø8x23 mm                      | Handgriff Ø50/Ø8x23 mm                             | M014521    |
| 18   | 2   | Håndgreb ø40 M8x20 mm                         | Handle Ø40 M8x20 mm                      | Handgriff Ø40 M8x20 mm                             | M011442    |
| 19   | 1   | Fæste for rumpestop                           | Shaft for rear stop                      | Befestigung f. Rumpfstütze                         | M011347    |
| 20   | 1   | Expander Stop Alustykke                       | Expander for rear stop                   | Expander für Rumpfstütze                           | M067352    |
| 21   | 1   | Gevindstykke M6x25 mm                         | Threaded rod M6x25 mm                    | Gewindestück M6x25 mm                              | M040931    |
| 22   | 1   | Rumpestopbøjle                                | Rear stop clamp welded                   | Rumpfstützenbügel geschweisst                      | M106637    |
| 23   | 1   | Skumrør til lille rumpestop                   | Foam for rear stop (Ø19x270 mm)          | Moosgummi f. Rumpfstütze (Ø19x270 mm)              | M106901    |
| 24   | 1   | Bolt m/indv 6kt cylindr hoved M8x110 mm       | Allen bolt M8x110 mm                     | Inbussschraube M8x110 mm                           | M011445    |
| 25   | 1   | Unbrakonøgle 5 mm (sort)                      | Allen key 5 mm                           | Inbussschlüssel 5 mm                               | M049005    |
| 26   | 1   | Unbrakonøgle 6 mm (sort)                      | Allen key 6 mm                           | Inbussschlüssel 6 mm                               | M049006    |
| 27   | 1   | Indvendig dupsko sort til ø5 mm unbrakonøgle  | Inner plug, black, for 5 mm Allen key    | Kunststoffkappe, Schwarz, für 5 mm Inbussschlüssel | M100002    |
| 28   | 1   | Indvendig dupsko sort til ø6 mm unbrakonøgle  | Inner plug, black, for 6 mm Allen key    | Kunststoffkappe, Schwarz, für 6 mm Inbussschlüssel | M100001    |
| 29   | 1   | Gummibøsning Ø30x25 sort M8                   | Rubber bushing                           | Gummibuchse                                        | M011416    |
| 30   | 1   | Sadel Small                                   | Saddle Small                             | Sattel Small                                       | M104999    |
| 31   | 1   | Sadelbeslag med 2 spor                        | Saddle bracket with 2 slots              | Sattelhalter mit zwei Spuren                       | M011052    |
| 32   | 1   | Bolt M8x16                                    | Bolt M8x16                               | Bolzen M8x16                                       | 8005208016 |
| 33   | 6   | Skrue M5, pinolskrue til ring håndbøjlebeslag | Screw for ring handle bar bracket        | Pinolschraube für Ring Handbügelaufnahme           | M011443    |
| 34   | 2   | Skrue M6, pinolskrue til håndbøjlebeslag      | Screw for handlebar bracket              | Pinolschraube f. Handbügelaufrn                    | M011444    |
| 35   | 2   | Pinolskrue m/indv 6kt, Sort, M8x8 mm          | Hexagon Socket Set Screw M8x8 mm DIN 916 | Gewindestift DIN 916 M8x8 mm                       | 8004108008 |
| 36   | 6   | Plan Skive DIN 125A, 8 mm Galvaniseret        | Washer, Ø8 mm, DIN125A                   | Scheibe, Ø8 mm, DIN125A                            | 8802208    |
| 37   | 2   | Skrue M5x12                                   | Screw M5x12                              | Schraube M5x12                                     | 8003205012 |
| 38   | 1   | Bolt m/indv 6kt CH M8x16 mm                   | Screw M8x16mm CH DIN 912                 | Schraube M8x16mm DIN 912                           | 8001208016 |
| 39   | 1   | Tandskive M8                                  | Serrated Lock Washer M8                  | Verzahnt Federring M8                              | 8804208    |
| 40   | 4   | Låsemøtrik M6 DIN 985                         | Hex Lock Nut M6 DIN 985                  | Kontermutter M6 DIN 985                            | 8902206    |
| 41   | 1   | Kropsringsfæste 185x76,2 mm                   | Height adjustment tube                   | Aufständer für Thoraxring                          | M012055    |
| 42   | 1   | Stjernegreb ø50 M8x40 mm                      | Handle Ø50 M8x40 mm                      | Handgriff Ø50 M8x40 mm                             | M012052    |
| 43   | 1   | Spændplade                                    | Threaded lock                            | Schloss mit Gewinde                                | M012070    |
| 44   | 2   | Møbelhoved M6 ø15/ ø8,8x12, elforz.           | Allen screw head M6                      | Möbelkopf M6                                       | M041907    |
| 45   | 2   | Skrue button head m/flange M6x10 mm           | Flange button head screw M6x10 mm        | Flachkopfschraube mit Flansch M6x10 mm             | 8049206010 |

Table continues on the next page

| Pos  | Pcs | Beskrivelse                                    | Description                                | Beschreibung                                      | Stock no   |
|------|-----|------------------------------------------------|--------------------------------------------|---------------------------------------------------|------------|
| 1    | 1   | Trykfjedre, gule, 45-65 kg, sæt                | Compression springs, yellow, 45-65 kg, set | Druckfedern, gelb, 45-65 kg, Satz                 | M104299    |
| 2    | 1   | Stel, Small, grøn                              | Frame, Small, green                        | Gestell, Small, grün                              | M013510    |
| 3    | 4   | Forbindelsesled, Small                         | Connecting joint, Small                    | Verbindungsglied, Small                           | M013680    |
| 4    | 1   | Kipbøjle, Small, grøn, 526 mm                  | Swing bar, Small, green                    | Kippbügel, Small, grün                            | M013600    |
| 5    | 6   | Gevindstykke M6x20 mm                          | Threaded rod M6x20 mm                      | Gewindestück M6x20 mm                             | M104608    |
| 6    | 6   | Indvendig hængselbøsning                       | Internal hinge bushing                     | Scharnierbuchse innen                             | M104040    |
| 7    | 12  | Møbelhoved M6 ø15/ ø8,8x12, elforz.            | Allen screw head M6                        | Möbelkopf M6                                      | M041907    |
| 8    | 2   | Baghjul 275x40 mm, sort fælg                   | Rear wheel 275x40 mm, black plastic rim    | Hinterrad 275x40 mm, schwarzer Kunststoffelge     | M012966    |
| 9    | 2   | Gevindbøsning for baghjul, ø12, 54 mm          | Threaded bushing for rear wheel            | Gewindebuchse für Hinterrad                       | M010071    |
| 10.1 | 2   | Gaffel til forhjul, 150x32 mm, sort fælg       | Fork for front wheel, 150x32 mm            | Gabel für Vorderrad, 150x32 mm                    | M049530    |
| 10.2 | 2   | Forhjul 150x32 mm, sort plastfælg              | Wheel 150x32 mm, black plastic rim         | Vorderrad 150x32 mm                               | M112150    |
| 10.3 | 2   | Låsemøtrik M8                                  | Lock nut M8                                | Kontermutter M8                                   | 8902208    |
| 10.4 | 2   | Unbrakobolt M8x55 mm                           | Allen bolt M8x55 mm                        | Inbussschraube M8x55 mm                           | M040439    |
| 11   | 2   | Fenderhjul ø100 mm, sort                       | Fender wheel Ø100 mm, black                | Abweisrolle Ø100 mm, Schwarz                      | M049921    |
| 12   | 2   | Møtrikbeskytter M12, sort                      | Cover f/nut M12                            | Schutz f/Mutter M12                               | 925165     |
| 13   | 2   | Afstandsør (fenderhjulsør)                     | Distance pipe (feder wheel pipe)           | Distanzrohr (Pufferrollerrohr)                    | M104041    |
| 14   | 2   | NYLONIT kraveforing: 41x45x96 mm Mw M/L        | Bushing with collar, 41x45x96 mm           | Buchse, mit Kragen, 41x45x96 mm                   | M140018    |
| 15   | 2   | Nederste opstander, Small grøn, 292 mm         | Bottom stanchion, Small, Green             | Untere Aufständer, Small, grün                    | M013710    |
| 16   | 2   | Bøsning med krave 35,6x40x20 mm                | Bushing with collar 35,6x40x20 mm          | Buchse m. Kragen 35,6x40x20 mm                    | M011325    |
| 17   | 4   | Skrue M6x10                                    | Screw M6x10                                | Schrauben M6x10                                   | 8001206010 |
| 18   | 2   | Snaplås rustfri og sort m/spids                | Snap lock stainless and black w/tip        | Schnappverschluss rostfrei und schwarz mit Spitze | M140074    |
| 19   | 1   | Beslag Hs t/snaplås MW4 Small                  | Bracket Rs t/snap lock MW4 Small           | Halterung Rs f/Schnappverschluss MW4 Small        | M140096    |
| 20   | 1   | Beslag Vs t/snaplås MW4 Small                  | Bracket Ls t/snap lock MW4 Small           | Halterung Ls f/Schnappverschluss MW4 small        | M140097    |
| 21   | 1   | Bremse komplet venstre                         | Brake, complete, left                      | Bremse komplett, links                            | M012830    |
| 21.1 | 1   | Bremsefjeder ø9x43,5 mm                        | Brake spring Ø9x43,5 mm                    | Bremsefeder Ø9x43,5 mm                            | M049941    |
| 21.2 | 1   | Bremsegreb Ø21x50 ø8 sort                      | Brake handle Ø21x50 ø8 black               | Bremmgriff, ø21x50 ø8 mm schwarz                  | M049914    |
| 21.3 | 1   | Bremseklods 38,6 mm                            | Break pad 38,6 mm                          | Bremseklötz                                       | M064208    |
| 22   | 1   | Bremse komplet højre                           | Brake, complete, right                     | Bremse komplett, rechts                           | M012810    |
| 22.1 | 1   | Bremsefjeder ø9x43,5 mm                        | Brake spring Ø9x43,5 mm                    | Bremsefeder Ø9x43,5 mm                            | M049941    |
| 22.2 | 1   | Bremsegreb Ø21x50 ø8 sort                      | Brake handle Ø21x50 ø8 black               | Bremmgriff, ø21x50 ø8 mm schwarz                  | M049914    |
| 22.3 | 1   | Bremseklods 38,6 mm                            | Break pad 38,6 mm                          | Bremseklötz                                       | M064208    |
| 23   | 8   | Skrue button head m/flange M6x10 mm            | Flange button head screw M6x10 mm          | Flachkopfschraube mit Flansch M6x10 mm            | 8049206010 |
| 24   | 2   | Stålsætbolt M12x80 mm                          | Bolt M12x80 mm                             | Bolzen M12x80 mm                                  | M040168    |
| 25   | 2   | Låsemøtrik M12                                 | Lock nut M12                               | Spannmutter M12                                   | 8902212    |
| 26   | 4   | Skrue med indvendig sekskant undersænket hoved | Countersunk Screw                          | Senkschraube mit Innensechskant                   | 8002205016 |
| 27   | 1   | Spændepåse f/kipbøjle                          | Clamping plate f/swing bar                 | Spannplatte für Schwenkbügel                      | M140542    |
| 28   | 2   | Gliedsko ø25 mm, sort                          | Plastic hinge Ø25 mm, black                | Kunststoffscharnier Ø25 mm, schwarz               | M010073    |
| 29   | 4   | Unbrakobolt M10x25 mm                          | Allen bolt M10x25 mm                       | Inbussschraube M10x25 mm                          | 8003210025 |